



Entrez	PubMed	Nucleotide	Protein	Genome	Structure	PMC	Journals	Bo
Search	PubMed	for insulin regulator sequences					Go	Clear
		Limits	Preview/Index	History	Clipboard	Details		

Display	Summary	Show: 20	Sort	Send to	Text
Items 1-20 of 55				Page 1	of 3 Next

Entrez PubMed

☐ 1: [Lopes C, Dina C, Durand E, Froguel P.](#) [Related Articles, Links](#)

PAI-1 polymorphisms modulate phenotypes associated with the metabolic syndrome in obese and diabetic Caucasian population. *Diabetologia*. 2003 Sep;46(9):1284-90. Epub 2003 Jul 11. PMID: 12856128 [PubMed - in process]

PubMed Services

☐ 2: [Mohan S, Thompson GR, Amaar YG, Hathaway G, Tschesche H, Baylink DJ.](#) [Related Articles, Links](#)

ADAM-9 is an insulin-like growth factor binding protein-5 protease produced and secreted by human osteoblasts. *Biochemistry*. 2002 Dec 24;41(51):15394-403. PMID: 12484779 [PubMed - indexed for MEDLINE]

☐ 3: [Kawaguchi Y, Cooper B, Gannon M, Ray M, MacDonald RJ, Wright CV.](#) [Related Articles, Links](#)

The role of the transcriptional regulator Ptf1a in converting intestinal to pancreatic progenitors. *Nat Genet*. 2002 Sep;32(1):128-34. Epub 2002 Aug 19. PMID: 12185368 [PubMed - indexed for MEDLINE]

Related Resources

☐ 4: [Plaisance V, Thompson N, Niederhauser G, Haefliger JA, Nicod P, Waeber G, Abderrahmani A.](#) [Related Articles, Links](#)

The mif gene is transcriptionally regulated by glucose in insulin-secreting cells. *Biochem Biophys Res Commun*. 2002 Jul 5;295(1):174-81. PMID: 12083786 [PubMed - indexed for MEDLINE]

☐ 5: [Tsubaki J, Hwa V, Twigg SM, Rosenfeld RG.](#) [Related Articles, Links](#)

Differential activation of the IGF binding protein-3 promoter by butyrate in prostate cancer cells. *Endocrinology*. 2002 May;143(5):1778-88. PMID: 11956160 [PubMed - indexed for MEDLINE]

☐ 6: [Dowell P, Cooke DW.](#) [Related Articles, Links](#)

Olf-1/early B cell factor is a regulator of glut4 gene expression in 3T3-L1 adipocytes. *J Biol Chem*. 2002 Jan 18;277(3):1712-8. Epub 2001 Nov 05. PMID: 11696544 [PubMed - indexed for MEDLINE]

☐ **7:** [Kaffer CR, Grinberg A, Pfeifer K.](#) Related Articles, Links



Regulatory mechanisms at the mouse Igf2/H19 locus.  
Mol Cell Biol. 2001 Dec;21(23):8189-96.  
PMID: 11689707 [PubMed - indexed for MEDLINE]

☐ **8:** [Gerrish K, Cissell MA, Stein R.](#) Related Articles, Links



The role of hepatic nuclear factor 1 alpha and PDX-1 in transcriptional regulation of the pdx-1 gene.  
J Biol Chem. 2001 Dec 21;276(51):47775-84. Epub 2001 Oct 05.  
PMID: 11590182 [PubMed - indexed for MEDLINE]

☐ **9:** [Lawrence MC, Bhatt HS, Watterson JM, Easom RA.](#) Related Articles, Links



Regulation of insulin gene transcription by a Ca(2+)-responsive pathway involving calcineurin and nuclear factor of activated T cells.  
Mol Endocrinol. 2001 Oct;15(10):1758-67.  
PMID: 11579208 [PubMed - indexed for MEDLINE]

☐ **10:** [Li JY, Boado RJ, Pardridge WM.](#) Related Articles, Links



Blood-brain barrier genomics.  
J Cereb Blood Flow Metab. 2001 Jan;21(1):61-8.  
PMID: 11149669 [PubMed - indexed for MEDLINE]

☐ **11:** [Sartoris S, Brendolan A, Degola A, Testi MG, Chignola R, Scarpa A, Scardoni M, Contreas G, Pinelli L, Lunardi C, Beri R, Pera C, Ferrara GB, Riviera AP, Tridente G, Andrighetto G.](#) Related Articles, Links



Analysis of CIITA encoding AIR-1 gene promoters in insulin-dependent diabetes mellitus and rheumatoid arthritis patients from the northeast of Italy: absence of sequence variability.  
Hum Immunol. 2000 Jun;61(6):599-604.  
PMID: 10825588 [PubMed - indexed for MEDLINE]

☐ **12:** [Rasmussen SK, Lautier C, Hansen L, Echwald SM, Hansen T, Ekstrom CT, Urhammer SA, Borch-Johnsen K, Grigorescu F, Smith RJ, Pedersen O.](#) Related Articles, Links



Studies of the variability of the genes encoding the insulin-like growth factor I receptor and its ligand in relation to type 2 diabetes mellitus.  
J Clin Endocrinol Metab. 2000 Apr;85(4):1606-10.  
PMID: 10770205 [PubMed - indexed for MEDLINE]

☐ **13:** [Reusch JE, Colton LA, Klemm DJ.](#) Related Articles, Links



CREB activation induces adipogenesis in 3T3-L1 cells.  
Mol Cell Biol. 2000 Feb;20(3):1008-20.  
PMID: 10629058 [PubMed - indexed for MEDLINE]

☐ **14:** [Barroso I, Santisteban P.](#) Related Articles, Links



Insulin-induced early growth response gene (Egr-1) mediates a short term repression of rat malic enzyme gene transcription.  
J Biol Chem. 1999 Jun 18;274(25):17997-8004.  
PMID: 10364249 [PubMed - indexed for MEDLINE]

- ☐ 15: [Sharma A, Moore M, Marcora E, Lee JE, Qiu Y, Samaras S, Stein R.](#) Related Articles, Links



The NeuroD1/BETA2 sequences essential for insulin gene transcription colocalize with those necessary for neurogenesis and p300/CREB binding protein binding.

Mol Cell Biol. 1999 Jan;19(1):704-13.

PMID: 9858593 [PubMed - indexed for MEDLINE]

- ☐ 16: [Permutt MA, Chiu K, Ferrer J, Glaser B, Inoue H, Nestorowicz A, Stanley CA, Tanizawa Y.](#) Related Articles, Links



Genetics of type II diabetes.

Recent Prog Horm Res. 1998;53:201-16. Review.

PMID: 9769709 [PubMed - indexed for MEDLINE]

- ☐ 17: [Ma J, Saito H, Oka T, Vijay IK.](#) Related Articles, Links



Further characterization of negative regulatory element involved in the hormonal regulation of GlcNAc-1-P transferase gene in mouse mammary gland.

Indian J Biochem Biophys. 1997 Feb-Apr;34(1-2):110-7.

PMID: 9343938 [PubMed - indexed for MEDLINE]

- ☐ 18: [Wu KL, Gannon M, Peshavaria M, Offield MF, Henderson E, Ray M, Marks A, Gamer LW, Wright CV, Stein R.](#) Related Articles, Links



Hepatocyte nuclear factor 3beta is involved in pancreatic beta-cell-specific transcription of the pdx-1 gene.

Mol Cell Biol. 1997 Oct;17(10):6002-13.

PMID: 9315659 [PubMed - indexed for MEDLINE]

- ☐ 19: [Sander M, Neubuser A, Kalamaras J, Ee HC, Martin GR, German MS.](#) Related Articles, Links



Genetic analysis reveals that PAX6 is required for normal transcription of pancreatic hormone genes and islet development.

Genes Dev. 1997 Jul 1;11(13):1662-73.

PMID: 9224716 [PubMed - indexed for MEDLINE]

- ☐ 20: [Lim L, Zhou H, Costa RH.](#) Related Articles, Links



The winged helix transcription factor HFH-4 is expressed during choroid plexus epithelial development in the mouse embryo.

Proc Natl Acad Sci U S A. 1997 Apr 1;94(7):3094-9.

PMID: 9096351 [PubMed - indexed for MEDLINE]

Display	Summary	<input checked="" type="checkbox"/> Show: 20	<input checked="" type="checkbox"/> Sort:	<input checked="" type="checkbox"/> Send to: Text
Items 1-20 of 55			Page 1	of 3 Next

Write to the Help Desk  
NCBI | NLM | NIH  
Department of Health & Human Services  
Freedom of Information Act | Disclaimer